

№ 002290



Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0

СЕРТИФИКАТ СООТВЕТСТВИЯ

Срок действия с 11.12.2019г по 10.12.2024г.

Код ОКПД 2 27.32.13

№ РОСС.RU.31675.04ПБК0.OC01.H000950

Код ТН ВЭД 8544492000

ЗАЯВИТЕЛЬ
(наименование и
местонахождение
заявителя)

Общество с ограниченной ответственностью «КАРИН»
ОГРН1037739158544 Адрес: Московская область, Щелковский район, г Щелково, улица
Заводская, дом 2, корпус 310, помещение 9, телефон: (495)258-92-41

ИЗГОТОВИТЕЛЬ
(наименование и
местонахождение
изготовителя продукции)

ExeGate Limited. Адрес: 302, Dominion Centre, 43-59 Queen's Road East, Wanchai, Hong
Kong, телефон: +85258014224

**ОРГАН ПО
СЕРТИФИКАЦИИ**

Общество с ограниченной ответственностью «Центр контроля качества пожарной
безопасности» (ИНН 7734430472). Адрес: 123182, город Москва, Авиационная улица,
дом 69, пом V ком 17. Аттестат аккредитации № РОСС RU.31675.04ПБК0.OC01,
от 24.10.2019г. до 23.10.2022г., тел. 89295905196, ckkpb@mail.ru

**ПОДТВЕРЖДАЕТ,
ЧТО ПРОДУКЦИЯ**
(информация о
сертифицированной
продукции, позволяющая
провести идентификацию)

Кабели связи симметричной парной скрутки (витая пара), торговой марки ExeGate, не
распространяющие горение, в защитных оболочках из не содержащего галогены
"LSZH" пластика не выделяющего коррозионно-активных газообразных продуктов
при горении и тлении, с жилами из меди или омедненного алюминия, на номинальное
напряжение до 50В, марки по Приложениям бланк №002267, 002268, 002269, 002270,
002271, 002272, 002273, 002274, 002275, 002276, 002277, 002278, 002279, 002280,
002281, 002287. Серийный выпуск.

**СООТВЕТСТВУЕТ
ТРЕБОВАНИЯМ**
(наименование
национальных стандартов,
стандартов организаций,
сводов правил, условий
договоров на соответствие
требованиям которых
проводилась

ГОСТ 31565-2012 «Кабельные изделия. Требования пожарной безопасности»
п.п 5.2, 5.3, 5.5, 5.6, 5.7 Класс пожарной опасности кабельных изделий
П16.8.1.2.1 Приложения бланк № 002287, 002288, 002289

**ПРОВЕДЕННЫЕ ИССЛЕДОВАНИЯ
(ИСПЫТАНИЯ) И ИЗМЕРЕНИЯ**

Протокол испытаний № 1344 от 22.11.2019г.
ИЛ «Оптим» № RA.RU.04ПБК0 до 03.05.2020г.

ПРЕДСТАВЛЕННЫЕ ДОКУМЕНТЫ

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Кондратьева М.В.

Эксперт (эксперты)

Пичурин А.А.



№ 002267



Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБКО

ПРИЛОЖЕНИЕ К СЕРТИФИКАТУ СООТВЕТСТВИЯ

№ РОСС.RU.31675.04ПБКО.OC01.H000950

КОД ОКПД2 КОД ТН ВЭД	Наименование, типы, марки, модели однородной продукции, составные части изделия или комплекса
27.32.13	UTP4-C5e-CU-S24-IN-LSZH-OR-305; UTP4-C5e-CCA-S24-IN-LSZH-OR-305; SFTP4-C8-CU-S23-IN-LSZH-OR-100; SFTP4-C8-CU-S23-IN-LSZH-GY-100; SFTP4-C8-CU-S23-IN-LSZH-BL-100; SFTP4-C8-CU-S23-IN-LSZH-BK-100; SFTP4-C8-CU-S23-IN-LSZH-GN-100; SFTP4-C8-CU-S23-IN-LSZH-RD-100; SFTP4-C8-CU-S23-IN-LSZH-WH-100; SFTP4-C8-CU-S23-IN-LSZH-YL-100; SFTP4-C8-CU-S23-IN-LSZH-OR-305; SFTP4-C8-CU-S23-IN-LSZH-GY-305; SFTP4-C8-CU-S23-IN-LSZH-BL-305; SFTP4-C8-CU-S23-IN-LSZH-BK-305; SFTP4-C8-CU-S23-IN-LSZH-GN-305; SFTP4-C8-CU-S23-IN-LSZH-RD-305; SFTP4-C8-CU-S23-IN-LSZH-WH-305; SFTP4-C8-CU-S23-IN-LSZH-YL-305; SFTP4-C8-CU-S23-IN-LSZH-OR-500; SFTP4-C8-CU-S23-IN-LSZH-GY-500; SFTP4-C8-CU-S23-IN-LSZH-BL-500; SFTP4-C8-CU-S23-IN-LSZH-BK-500; SFTP4-C8-CU-S23-IN-LSZH-GN-500; SFTP4-C8-CU-S23-IN-LSZH-RD-500; SFTP4-C8-CU-S23-IN-LSZH-WH-500; SFTP4-C8-CU-S23-IN-LSZH-YL-500; SFTP4-C7a-CU-S22-IN-LSZH-OR-100; SFTP4-C7a-CU-S22-IN-LSZH-GY-100; SFTP4-C7a-CU-S22-IN-LSZH-BL-100; SFTP4-C7a-CU-S22-IN-LSZH-BK-100; SFTP4-C7a-CU-S22-IN-LSZH-GN-100; SFTP4-C7a-CU-S22-IN-LSZH-RD-100; SFTP4-C7a-CU-S22-IN-LSZH-WH-100; SFTP4-C7a-CU-S22-IN-LSZH-YL- 100; SFTP4-C7a-CU-S22-IN-LSZH-OR-305; SFTP4-C7a-CU-S22-IN-LSZH- GY-305; SFTP4-C7a-CU-S22-IN-LSZH-BL-305; SFTP4-C7a-CU-S22-IN- LSZH-BK-305; SFTP4-C7a-CU-S22-IN-LSZH-GN-305; SFTP4-C7a-CU-S22- IN-LSZH-RD-305; SFTP4-C7a-CU-S22-IN-LSZH-WH-305; SFTP4-C7a-CU- S22-IN-LSZH-YL-305; SFTP4-C7a-CU-S22-IN-LSZH-OR-500; SFTP4-C7a- CU-S22-IN-LSZH-GY-500; SFTP4-C7a-CU-S22-IN-LSZH-BL-500; SFTP4- C7a-CU-S22-IN-LSZH-BK-500; SFTP4-C7a-CU-S22-IN-LSZH-GN-500; SFTP4-C7a-CU-S22-IN-LSZH-RD-500; SFTP4-C7a-CU-S22-IN-LSZH-WH- 500; SFTP4-C7a-CU-S22-IN-LSZH-YL-500; SFTP4-C7-CU-S23-IN-LSZH-VL- 100; SFTP4-C7-CU-S23-IN-LSZH-RD-100; SFTP4-C7-CU-S23-IN-LSZH-WH-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002268



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБКО**

100; SFTP4-C7-CU-S23-IN-LSZH-VL-305; SFTP4-C7-CU-S23-IN-LSZH-RD-305; SFTP4-C7-CU-S23-IN-LSZH-WH-305; SFTP4-C7-CU-S23-IN-LSZH-VL-500; SFTP4-C7-CU-S23-IN-LSZH-RD-500; SFTP4-C7-CU-S23-IN-LSZH-WH-500; SFTP4-C6a-CU-S23-IN-LSZH-OR-100; SFTP4-C6a-CU-S23-IN-LSZH-GY-100; SFTP4-C6a-CU-S23-IN-LSZH-BL-100; SFTP4-C6a-CU-S23-IN-LSZH-BK-100; SFTP4-C6a-CU-S23-IN-LSZH-GN-100; SFTP4-C6a-CU-S23-IN-LSZH-RD-100; SFTP4-C6a-CU-S23-IN-LSZH-WH-100; SFTP4-C6a-CU-S23-IN-LSZH-YL-100; SFTP4-C6a-CU-S23-IN-LSZH-OR-305; SFTP4-C6a-CU-S23-IN-LSZH-GY-305; SFTP4-C6a-CU-S23-IN-LSZH-BL-305; SFTP4-C6a-CU-S23-IN-LSZH-BK-305; SFTP4-C6a-CU-S23-IN-LSZH-GN-305; SFTP4-C6a-CU-S23-IN-LSZH-RD-305; SFTP4-C6a-CU-S23-IN-LSZH-WH-305; SFTP4-C6a-CU-S23-IN-LSZH-YL-305; SFTP4-C6a-CU-S23-IN-LSZH-OR-500; SFTP4-C6a-CU-S23-IN-LSZH-GY-500; SFTP4-C6a-CU-S23-IN-LSZH-BL-500; SFTP4-C6a-CU-S23-IN-LSZH-BK-500; SFTP4-C6a-CU-S23-IN-LSZH-GN-500; SFTP4-C6a-CU-S23-IN-LSZH-RD-500; SFTP4-C6a-CU-S23-IN-LSZH-WH-500; SFTP4-C6a-CU-S23-IN-LSZH-YL-500; UTP4-C6a-CU-S23-IN-LSZH-OR-100; UTP4-C6a-CU-S23-IN-LSZH-GY-100; UTP4-C6a-CU-S23-IN-LSZH-BL-100; UTP4-C6a-CU-S23-IN-LSZH-BK-100; UTP4-C6a-CU-S23-IN-LSZH-GN-100; UTP4-C6a-CU-S23-IN-LSZH-RD-100; UTP4-C6a-CU-S23-IN-LSZH-WH-100; UTP4-C6a-CU-S23-IN-LSZH-YL-100; UTP4-C6a-CU-S23-IN-LSZH-OR-305; UTP4-C6a-CU-S23-IN-LSZH-GY-305; UTP4-C6a-CU-S23-IN-LSZH-BL-305; UTP4-C6a-CU-S23-IN-LSZH-BK-305; UTP4-C6a-CU-S23-IN-LSZH-GN-305; UTP4-C6a-CU-S23-IN-LSZH-RD-305; UTP4-C6a-CU-S23-IN-LSZH-WH-305; UTP4-C6a-CU-S23-IN-LSZH-YL-305; UTP4-C6a-CU-S23-IN-LSZH-OR-500; UTP4-C6a-CU-S23-IN-LSZH-GY-500; UTP4-C6a-CU-S23-IN-LSZH-BL-500; UTP4-C6a-CU-S23-IN-LSZH-BK-500; UTP4-C6a-CU-S23-IN-LSZH-GN-500; UTP4-C6a-CU-S23-IN-LSZH-RD-500; UTP4-C6a-CU-S23-IN-LSZH-WH-500; UTP4-C6a-CU-S23-IN-LSZH-YL-500; FTP4-C6a-CU-S23-IN-LSZH-OR-100; FTP4-C6a-CU-S23-IN-LSZH-GY-100; FTP4-C6a-CU-S23-IN-LSZH-BL-100; FTP4-C6a-CU-S23-IN-LSZH-BK-100; FTP4-C6a-CU-S23-IN-LSZH-GN-100; FTP4-C6a-CU-S23-IN-LSZH-RD-100; FTP4-C6a-CU-S23-IN-LSZH-WH-100; FTP4-C6a-CU-S23-IN-LSZH-YL-100; FTP4-C6a-CU-S23-IN-LSZH-OR-305; FTP4-C6a-CU-S23-IN-LSZH-GY-305; FTP4-C6a-CU-S23-IN-LSZH-BL-305; FTP4-C6a-CU-S23-IN-LSZH-BK-305; FTP4-C6a-CU-S23-IN-LSZH-GN-305; FTP4-C6a-CU-S23-IN-LSZH-RD-305; FTP4-C6a-CU-S23-IN-LSZH-WH-305; FTP4-C6a-CU-S23-IN-LSZH-YL-305; FTP4-C6a-CU-S23-IN-LSZH-OR-500; FTP4-C6a-CU-S23-IN-LSZH-GY-500; FTP4-C6a-CU-S23-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002269



Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0


IN-LSZH-BL-500; FTP4-C6a-CU-S23-IN-LSZH-BK-500; FTP4-C6a-CU-S23-IN-LSZH-GN-500; FTP4-C6a-CU-S23-IN-LSZH-RD-500; FTP4-C6a-CU-S23-IN-LSZH-WH-500; FTP4-C6a-CU-S23-IN-LSZH-YL-500; UTP4-C6-CU-S23-IN-LSZH-OR-100; UTP4-C6-CU-S23-IN-LSZH-GY-100; UTP4-C6-CU-S23-IN-LSZH-BL-100; UTP4-C6-CU-S23-IN-LSZH-BK-100; UTP4-C6-CU-S23-IN-LSZH-GN-100; UTP4-C6-CU-S23-IN-LSZH-RD-100; UTP4-C6-CU-S23-IN-LSZH-WH-100; UTP4-C6-CU-S23-IN-LSZH-YL-100; UTP4-C6-CU-S23-IN-LSZH-OR-305; UTP4-C6-CU-S23-IN-LSZH-GY-305; UTP4-C6-CU-S23-IN-LSZH-BL-305; UTP4-C6-CU-S23-IN-LSZH-BK-305; UTP4-C6-CU-S23-IN-LSZH-GN-305; UTP4-C6-CU-S23-IN-LSZH-RD-305; UTP4-C6-CU-S23-IN-LSZH-WH-305; UTP4-C6-CU-S23-IN-LSZH-YL-305; UTP4-C6-CU-S23-IN-LSZH-OR-500; UTP4-C6-CU-S23-IN-LSZH-GY-500; UTP4-C6-CU-S23-IN-LSZH-BL-500; UTP4-C6-CU-S23-IN-LSZH-BK-500; UTP4-C6-CU-S23-IN-LSZH-GN-500; UTP4-C6-CU-S23-IN-LSZH-RD-500; UTP4-C6-CU-S23-IN-LSZH-WH-500; UTP4-C6-CU-S23-IN-LSZH-YL-500; FTP4-C6-CU-S23-IN-LSZH-OR-100; FTP4-C6-CU-S23-IN-LSZH-GY-100; FTP4-C6-CU-S23-IN-LSZH-BL-100; FTP4-C6-CU-S23-IN-LSZH-BK-100; FTP4-C6-CU-S23-IN-LSZH-GN-100; FTP4-C6-CU-S23-IN-LSZH-RD-100; FTP4-C6-CU-S23-IN-LSZH-WH-100; FTP4-C6-CU-S23-IN-LSZH-YL-100; FTP4-C6-CU-S23-IN-LSZH-OR-305; FTP4-C6-CU-S23-IN-LSZH-GY-305; FTP4-C6-CU-S23-IN-LSZH-BL-305; FTP4-C6-CU-S23-IN-LSZH-BK-305; FTP4-C6-CU-S23-IN-LSZH-GN-305; FTP4-C6-CU-S23-IN-LSZH-RD-305; FTP4-C6-CU-S23-IN-LSZH-WH-305; FTP4-C6-CU-S23-IN-LSZH-YL-305; FTP4-C6-CU-S23-IN-LSZH-OR-500; FTP4-C6-CU-S23-IN-LSZH-GY-500; FTP4-C6-CU-S23-IN-LSZH-BL-500; FTP4-C6-CU-S23-IN-LSZH-BK-500; FTP4-C6-CU-S23-IN-LSZH-GN-500; FTP4-C6-CU-S23-IN-LSZH-RD-500; FTP4-C6-CU-S23-IN-LSZH-WH-500; FTP4-C6-CU-S23-IN-LSZH-YL-500; UTP4-C6-CCA-S23-IN-LSZH-OR-100; UTP4-C6-CCA-S23-IN-LSZH-GY-100; UTP4-C6-CCA-S23-IN-LSZH-BL-100; UTP4-C6-CCA-S23-IN-LSZH-BK-100; UTP4-C6-CCA-S23-IN-LSZH-GN-100; UTP4-C6-CCA-S23-IN-LSZH-RD-100; UTP4-C6-CCA-S23-IN-LSZH-WH-100; UTP4-C6-CCA-S23-IN-LSZH-YL-100; UTP4-C6-CCA-S23-IN-LSZH-OR-305; UTP4-C6-CCA-S23-IN-LSZH-GY-305; UTP4-C6-CCA-S23-IN-LSZH-BL-305; UTP4-C6-CCA-S23-IN-LSZH-BK-305; UTP4-C6-CCA-S23-IN-LSZH-GN-305; UTP4-C6-CCA-S23-IN-LSZH-RD-305; UTP4-C6-CCA-S23-IN-LSZH-WH-305; UTP4-C6-CCA-S23-IN-LSZH-YL-305; UTP4-C6-CCA-S23-IN-LSZH-OR-500; UTP4-C6-CCA-S23-IN-LSZH-GY-500; UTP4-C6-CCA-S23-IN-LSZH-BL-500; UTP4-C6-CCA-S23-IN-LSZH-BK-500; UTP4-C6-CCA-S23-IN-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002270



Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0

LSZH-GN-500; UTP4-C6-CCA-S23-IN-LSZH-RD-500; UTP4-C6-CCA-S23-IN-LSZH-WH-500; UTP4-C6-CCA-S23-IN-LSZH-YL-500; FTP4-C6-CCA-S23-IN-LSZH-OR-100; FTP4-C6-CCA-S23-IN-LSZH-GY-100; FTP4-C6-CCA-S23-IN-LSZH-BL-100; FTP4-C6-CCA-S23-IN-LSZH-BK-100; FTP4-C6-CCA-S23-IN-LSZH-GN-100; FTP4-C6-CCA-S23-IN-LSZH-RD-100; FTP4-C6-CCA-S23-IN-LSZH-WH-100; FTP4-C6-CCA-S23-IN-LSZH-YL-100; FTP4-C6-CCA-S23-IN-LSZH-OR-305; FTP4-C6-CCA-S23-IN-LSZH-GY-305; FTP4-C6-CCA-S23-IN-LSZH-BL-305; FTP4-C6-CCA-S23-IN-LSZH-BK-305; FTP4-C6-CCA-S23-IN-LSZH-GN-305; FTP4-C6-CCA-S23-IN-LSZH-RD-305; FTP4-C6-CCA-S23-IN-LSZH-WH-305; FTP4-C6-CCA-S23-IN-LSZH-YL-305; FTP4-C6-CCA-S23-IN-LSZH-OR-500; FTP4-C6-CCA-S23-IN-LSZH-GY-500; FTP4-C6-CCA-S23-IN-LSZH-BL-500; FTP4-C6-CCA-S23-IN-LSZH-BK-500; FTP4-C6-CCA-S23-IN-LSZH-GN-500; FTP4-C6-CCA-S23-IN-LSZH-RD-500; FTP4-C6-CCA-S23-IN-LSZH-WH-500; FTP4-C6-CCA-S23-IN-LSZH-YL-500; UTP4-C6-CU-S24-IN-LSZH-OR-100; UTP4-C6-CU-S24-IN-LSZH-GY-100; UTP4-C6-CU-S24-IN-LSZH-BL-100; UTP4-C6-CU-S24-IN-LSZH-BK-100; UTP4-C6-CU-S24-IN-LSZH-GN-100; UTP4-C6-CU-S24-IN-LSZH-RD-100; UTP4-C6-CU-S24-IN-LSZH-WH-100; UTP4-C6-CU-S24-IN-LSZH-YL-100; UTP4-C6-CU-S24-IN-LSZH-OR-305; UTP4-C6-CU-S24-IN-LSZH-GY-305; UTP4-C6-CU-S24-IN-LSZH-BL-305; UTP4-C6-CU-S24-IN-LSZH-BK-305; UTP4-C6-CU-S24-IN-LSZH-GN-305; UTP4-C6-CU-S24-IN-LSZH-RD-305; UTP4-C6-CU-S24-IN-LSZH-WH-305; UTP4-C6-CU-S24-IN-LSZH-YL-305; UTP4-C6-CU-S24-IN-LSZH-OR-500; UTP4-C6-CU-S24-IN-LSZH-GY-500; UTP4-C6-CU-S24-IN-LSZH-BL-500; UTP4-C6-CU-S24-IN-LSZH-BK-500; UTP4-C6-CU-S24-IN-LSZH-GN-500; UTP4-C6-CU-S24-IN-LSZH-RD-500; UTP4-C6-CU-S24-IN-LSZH-WH-500; UTP4-C6-CU-S24-IN-LSZH-YL-500; FTP4-C6-CU-S24-IN-LSZH-OR-100; FTP4-C6-CU-S24-IN-LSZH-GY-100; FTP4-C6-CU-S24-IN-LSZH-BL-100; FTP4-C6-CU-S24-IN-LSZH-BK-100; FTP4-C6-CU-S24-IN-LSZH-GN-100; FTP4-C6-CU-S24-IN-LSZH-RD-100; FTP4-C6-CU-S24-IN-LSZH-WH-100; FTP4-C6-CU-S24-IN-LSZH-YL-100; FTP4-C6-CU-S24-IN-LSZH-OR-305; FTP4-C6-CU-S24-IN-LSZH-GY-305; FTP4-C6-CU-S24-IN-LSZH-BL-305; FTP4-C6-CU-S24-IN-LSZH-BK-305; FTP4-C6-CU-S24-IN-LSZH-GN-305; FTP4-C6-CU-S24-IN-LSZH-RD-305; FTP4-C6-CU-S24-IN-LSZH-WH-305; FTP4-C6-CU-S24-IN-LSZH-YL-305; FTP4-C6-CU-S24-IN-LSZH-OR-500; FTP4-C6-CU-S24-IN-LSZH-GY-500; FTP4-C6-CU-S24-IN-LSZH-BL-500; FTP4-C6-CU-S24-IN-LSZH-BK-500; FTP4-C6-CU-S24-IN-LSZH-GN-500; FTP4-C6-CU-S24-IN-LSZH-RD-500; FTP4-C6-CU-S24-IN-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002271



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБКО**


LSZH-WH-500; FTP4-C6-CU-S24-IN-LSZH-YL-500; UTP4-C6-CCA-S24-IN-LSZH-OR-100; UTP4-C6-CCA-S24-IN-LSZH-GY-100; UTP4-C6-CCA-S24-IN-LSZH-BL-100; UTP4-C6-CCA-S24-IN-LSZH-BK-100; UTP4-C6-CCA-S24-IN-LSZH-GN-100; UTP4-C6-CCA-S24-IN-LSZH-RD-100; UTP4-C6-CCA-S24-IN-LSZH-WH-100; UTP4-C6-CCA-S24-IN-LSZH-YL-100; UTP4-C6-CCA-S24-IN-LSZH-OR-305; UTP4-C6-CCA-S24-IN-LSZH-GY-305; UTP4-C6-CCA-S24-IN-LSZH-BL-305; UTP4-C6-CCA-S24-IN-LSZH-BK-305; UTP4-C6-CCA-S24-IN-LSZH-GN-305; UTP4-C6-CCA-S24-IN-LSZH-RD-305; UTP4-C6-CCA-S24-IN-LSZH-WH-305; UTP4-C6-CCA-S24-IN-LSZH-YL-305; UTP4-C6-CCA-S24-IN-LSZH-OR-500; UTP4-C6-CCA-S24-IN-LSZH-GY-500; UTP4-C6-CCA-S24-IN-LSZH-BL-500; UTP4-C6-CCA-S24-IN-LSZH-BK-500; UTP4-C6-CCA-S24-IN-LSZH-GN-500; UTP4-C6-CCA-S24-IN-LSZH-RD-500; UTP4-C6-CCA-S24-IN-LSZH-WH-500; UTP4-C6-CCA-S24-IN-LSZH-YL-500; FTP4-C6-CCA-S24-IN-LSZH-OR-100; FTP4-C6-CCA-S24-IN-LSZH-GY-100; FTP4-C6-CCA-S24-IN-LSZH-BL-100; FTP4-C6-CCA-S24-IN-LSZH-BK-100; FTP4-C6-CCA-S24-IN-LSZH-GN-100; FTP4-C6-CCA-S24-IN-LSZH-RD-100; FTP4-C6-CCA-S24-IN-LSZH-WH-100; FTP4-C6-CCA-S24-IN-LSZH-YL-100; FTP4-C6-CCA-S24-IN-LSZH-OR-305; FTP4-C6-CCA-S24-IN-LSZH-GY-305; FTP4-C6-CCA-S24-IN-LSZH-BL-305; FTP4-C6-CCA-S24-IN-LSZH-BK-305; FTP4-C6-CCA-S24-IN-LSZH-GN-305; FTP4-C6-CCA-S24-IN-LSZH-RD-305; FTP4-C6-CCA-S24-IN-LSZH-WH-305; FTP4-C6-CCA-S24-IN-LSZH-YL-305; FTP4-C6-CCA-S24-IN-LSZH-OR-500; FTP4-C6-CCA-S24-IN-LSZH-GY-500; FTP4-C6-CCA-S24-IN-LSZH-BL-500; FTP4-C6-CCA-S24-IN-LSZH-BK-500; FTP4-C6-CCA-S24-IN-LSZH-GN-500; FTP4-C6-CCA-S24-IN-LSZH-RD-500; FTP4-C6-CCA-S24-IN-LSZH-WH-500; FTP4-C6-CCA-S24-IN-LSZH-YL-500; UTP4-C5e-CU-S24-IN-LSZH-OR-100; UTP4-C5e-CU-S24-IN-LSZH-GY-100; UTP4-C5e-CU-S24-IN-LSZH-BL-100; UTP4-C5e-CU-S24-IN-LSZH-BK-100; UTP4-C5e-CU-S24-IN-LSZH-GN-100; UTP4-C5e-CU-S24-IN-LSZH-RD-100; UTP4-C5e-CU-S24-IN-LSZH-WH-100; UTP4-C5e-CU-S24-IN-LSZH-YL-100; UTP4-C5e-CU-S24-IN-LSZH-OR-305; UTP4-C5e-CU-S24-IN-LSZH-GY-305; UTP4-C5e-CU-S24-IN-LSZH-BL-305; UTP4-C5e-CU-S24-IN-LSZH-BK-305; UTP4-C5e-CU-S24-IN-LSZH-GN-305; UTP4-C5e-CU-S24-IN-LSZH-RD-305; UTP4-C5e-CU-S24-IN-LSZH-WH-305; UTP4-C5e-CU-S24-IN-LSZH-YL-305; UTP4-C5e-CU-S24-IN-LSZH-OR-500; UTP4-C5e-CU-S24-IN-LSZH-GY-500; UTP4-C5e-CU-S24-IN-LSZH-BL-500; UTP4-C5e-CU-S24-IN-LSZH-BK-500; UTP4-C5e-CU-S24-IN-LSZH-GN-500; UTP4-C5e-CU-S24-IN-LSZH-RD-500; UTP4-C5e-CU-S24-IN-LSZH-WH-500; UTP4-C5e-CU-S24-IN-LSZH-YL-500; FTP4-C5e-CU-S24-IN-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002272



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

LSZH-OR-100; FTP4-C5e-CU-S24-IN-LSZH-GY-100; FTP4-C5e-CU-S24-IN-LSZH-BL-100; FTP4-C5e-CU-S24-IN-LSZH-BK-100; FTP4-C5e-CU-S24-IN-LSZH-GN-100; FTP4-C5e-CU-S24-IN-LSZH-RD-100; FTP4-C5e-CU-S24-IN-LSZH-WH-100; FTP4-C5e-CU-S24-IN-LSZH-YL-100; FTP4-C5e-CU-S24-IN-LSZH-OR-305; FTP4-C5e-CU-S24-IN-LSZH-GY-305; FTP4-C5e-CU-S24-IN-LSZH-BL-305; FTP4-C5e-CU-S24-IN-LSZH-BK-305; FTP4-C5e-CU-S24-IN-LSZH-GN-305; FTP4-C5e-CU-S24-IN-LSZH-RD-305; FTP4-C5e-CU-S24-IN-LSZH-WH-305; FTP4-C5e-CU-S24-IN-LSZH-YL-305; FTP4-C5e-CU-S24-IN-LSZH-OR-500; FTP4-C5e-CU-S24-IN-LSZH-GY-500; FTP4-C5e-CU-S24-IN-LSZH-BL-500; FTP4-C5e-CU-S24-IN-LSZH-BK-500; FTP4-C5e-CU-S24-IN-LSZH-GN-500; FTP4-C5e-CU-S24-IN-LSZH-RD-500; FTP4-C5e-CU-S24-IN-LSZH-WH-500; FTP4-C5e-CU-S24-IN-LSZH-YL-500; UTP4-C5e-CCA-S24-IN-LSZH-OR-100; UTP4-C5e-CCA-S24-IN-LSZH-GY-100; UTP4-C5e-CCA-S24-IN-LSZH-BL-100; UTP4-C5e-CCA-S24-IN-LSZH-BK-100; UTP4-C5e-CCA-S24-IN-LSZH-GN-100; UTP4-C5e-CCA-S24-IN-LSZH-RD-100; UTP4-C5e-CCA-S24-IN-LSZH-WH-100; UTP4-C5e-CCA-S24-IN-LSZH-YL-100; UTP4-C5e-CCA-S24-IN-LSZH-OR-305; UTP4-C5e-CCA-S24-IN-LSZH-GY-305; UTP4-C5e-CCA-S24-IN-LSZH-BL-305; UTP4-C5e-CCA-S24-IN-LSZH-BK-305; UTP4-C5e-CCA-S24-IN-LSZH-GN-305; UTP4-C5e-CCA-S24-IN-LSZH-RD-305; UTP4-C5e-CCA-S24-IN-LSZH-WH-305; UTP4-C5e-CCA-S24-IN-LSZH-YL-305; UTP4-C5e-CCA-S24-IN-LSZH-OR-500; UTP4-C5e-CCA-S24-IN-LSZH-GY-500; UTP4-C5e-CCA-S24-IN-LSZH-BL-500; UTP4-C5e-CCA-S24-IN-LSZH-BK-500; UTP4-C5e-CCA-S24-IN-LSZH-GN-500; UTP4-C5e-CCA-S24-IN-LSZH-RD-500; UTP4-C5e-CCA-S24-IN-LSZH-WH-500; UTP4-C5e-CCA-S24-IN-LSZH-YL-500; FTP4-C5e-CCA-S24-IN-LSZH-OR-100; FTP4-C5e-CCA-S24-IN-LSZH-GY-100; FTP4-C5e-CCA-S24-IN-LSZH-BL-100; FTP4-C5e-CCA-S24-IN-LSZH-BK-100; FTP4-C5e-CCA-S24-IN-LSZH-GN-100; FTP4-C5e-CCA-S24-IN-LSZH-RD-100; FTP4-C5e-CCA-S24-IN-LSZH-WH-100; FTP4-C5e-CCA-S24-IN-LSZH-YL-100; FTP4-C5e-CCA-S24-IN-LSZH-OR-305; FTP4-C5e-CCA-S24-IN-LSZH-GY-305; FTP4-C5e-CCA-S24-IN-LSZH-BL-305; FTP4-C5e-CCA-S24-IN-LSZH-BK-305; FTP4-C5e-CCA-S24-IN-LSZH-GN-305; FTP4-C5e-CCA-S24-IN-LSZH-RD-305; FTP4-C5e-CCA-S24-IN-LSZH-WH-305; FTP4-C5e-CCA-S24-IN-LSZH-YL-305; FTP4-C5e-CCA-S24-IN-LSZH-OR-500; FTP4-C5e-CCA-S24-IN-LSZH-GY-500; FTP4-C5e-CCA-S24-IN-LSZH-BL-500; FTP4-C5e-CCA-S24-IN-LSZH-BK-500; FTP4-C5e-CCA-S24-IN-LSZH-GN-500; FTP4-C5e-CCA-S24-IN-LSZH-RD-500; FTP4-C5e-CCA-S24-IN-LSZH-WH-500; FTP4-C5e-CCA-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002273



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

S24-IN-LSZH-YL-500; UTP4-C5e-CU-S25-IN-LSZH-OR-100; UTP4-C5e-CU-S25-IN-LSZH-GY-100; UTP4-C5e-CU-S25-IN-LSZH-BL-100; UTP4-C5e-CU-S25-IN-LSZH-BK-100; UTP4-C5e-CU-S25-IN-LSZH-GN-100; UTP4-C5e-CU-S25-IN-LSZH-RD-100; UTP4-C5e-CU-S25-IN-LSZH-WH-100; UTP4-C5e-CU-S25-IN-LSZH-YL-100; UTP4-C5e-CU-S25-IN-LSZH-OR-305; UTP4-C5e-CU-S25-IN-LSZH-GY-305; UTP4-C5e-CU-S25-IN-LSZH-BL-305; UTP4-C5e-CU-S25-IN-LSZH-BK-305; UTP4-C5e-CU-S25-IN-LSZH-GN-305; UTP4-C5e-CU-S25-IN-LSZH-RD-305; UTP4-C5e-CU-S25-IN-LSZH-WH-305; UTP4-C5e-CU-S25-IN-LSZH-YL-305; UTP4-C5e-CU-S25-IN-LSZH-OR-500; UTP4-C5e-CU-S25-IN-LSZH-GY-500; UTP4-C5e-CU-S25-IN-LSZH-BL-500; UTP4-C5e-CU-S25-IN-LSZH-BK-500; UTP4-C5e-CU-S25-IN-LSZH-GN-500; UTP4-C5e-CU-S25-IN-LSZH-RD-500; UTP4-C5e-CU-S25-IN-LSZH-WH-500; UTP4-C5e-CU-S25-IN-LSZH-YL-500; FTP4-C5e-CU-S25-IN-LSZH-OR-100; FTP4-C5e-CU-S25-IN-LSZH-GY-100; FTP4-C5e-CU-S25-IN-LSZH-BL-100; FTP4-C5e-CU-S25-IN-LSZH-BK-100; FTP4-C5e-CU-S25-IN-LSZH-GN-100; FTP4-C5e-CU-S25-IN-LSZH-RD-100; FTP4-C5e-CU-S25-IN-LSZH-WH-100; FTP4-C5e-CU-S25-IN-LSZH-YL-100; FTP4-C5e-CU-S25-IN-LSZH-OR-305; FTP4-C5e-CU-S25-IN-LSZH-GY-305; FTP4-C5e-CU-S25-IN-LSZH-BL-305; FTP4-C5e-CU-S25-IN-LSZH-BK-305; FTP4-C5e-CU-S25-IN-LSZH-GN-305; FTP4-C5e-CU-S25-IN-LSZH-RD-305; FTP4-C5e-CU-S25-IN-LSZH-WH-305; FTP4-C5e-CU-S25-IN-LSZH-YL-305; FTP4-C5e-CU-S25-IN-LSZH-OR-500; FTP4-C5e-CU-S25-IN-LSZH-GY-500; FTP4-C5e-CU-S25-IN-LSZH-BL-500; FTP4-C5e-CU-S25-IN-LSZH-BK-500; FTP4-C5e-CU-S25-IN-LSZH-GN-500; FTP4-C5e-CU-S25-IN-LSZH-RD-500; FTP4-C5e-CU-S25-IN-LSZH-WH-500; FTP4-C5e-CU-S25-IN-LSZH-YL-500; UTP4-C5e-CCA-S25-IN-LSZH-OR-100; UTP4-C5e-CCA-S25-IN-LSZH-GY-100; UTP4-C5e-CCA-S25-IN-LSZH-BL-100; UTP4-C5e-CCA-S25-IN-LSZH-BK-100; UTP4-C5e-CCA-S25-IN-LSZH-GN-100; UTP4-C5e-CCA-S25-IN-LSZH-RD-100; UTP4-C5e-CCA-S25-IN-LSZH-WH-100; UTP4-C5e-CCA-S25-IN-LSZH-YL-100; UTP4-C5e-CCA-S25-IN-LSZH-OR-305; UTP4-C5e-CCA-S25-IN-LSZH-GY-305; UTP4-C5e-CCA-S25-IN-LSZH-BL-305; UTP4-C5e-CCA-S25-IN-LSZH-BK-305; UTP4-C5e-CCA-S25-IN-LSZH-GN-305; UTP4-C5e-CCA-S25-IN-LSZH-RD-305; UTP4-C5e-CCA-S25-IN-LSZH-WH-305; UTP4-C5e-CCA-S25-IN-LSZH-YL-305; UTP4-C5e-CCA-S25-IN-LSZH-OR-500; UTP4-C5e-CCA-S25-IN-LSZH-BL-500; UTP4-C5e-CCA-S25-IN-LSZH-BK-500; UTP4-C5e-CCA-S25-IN-LSZH-GN-500; UTP4-C5e-CCA-S25-IN-LSZH-RD-500; UTP4-C5e-CCA-S25-IN-LSZH-WH-500; UTP4-C5e-CCA-S25-IN-LSZH-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002274



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБКО**

YL-500; FTP4-C5e-CCA-S25-IN-LSZH-OR-100; FTP4-C5e-CCA-S25-IN-LSZH-GY-100; FTP4-C5e-CCA-S25-IN-LSZH-BL-100; FTP4-C5e-CCA-S25-IN-LSZH-BK-100; FTP4-C5e-CCA-S25-IN-LSZH-GN-100; FTP4-C5e-CCA-S25-IN-LSZH-RD-100; FTP4-C5e-CCA-S25-IN-LSZH-WH-100; FTP4-C5e-CCA-S25-IN-LSZH-YL-100; FTP4-C5e-CCA-S25-IN-LSZH-OR-305; FTP4-C5e-CCA-S25-IN-LSZH-GY-305; FTP4-C5e-CCA-S25-IN-LSZH-BL-305; FTP4-C5e-CCA-S25-IN-LSZH-BK-305; FTP4-C5e-CCA-S25-IN-LSZH-GN-305; FTP4-C5e-CCA-S25-IN-LSZH-RD-305; FTP4-C5e-CCA-S25-IN-LSZH-WH-305; FTP4-C5e-CCA-S25-IN-LSZH-YL-305; FTP4-C5e-CCA-S25-IN-LSZH-OR-500; FTP4-C5e-CCA-S25-IN-LSZH-GY-500; FTP4-C5e-CCA-S25-IN-LSZH-BL-500; FTP4-C5e-CCA-S25-IN-LSZH-BK-500; FTP4-C5e-CCA-S25-IN-LSZH-GN-500; FTP4-C5e-CCA-S25-IN-LSZH-RD-500; FTP4-C5e-CCA-S25-IN-LSZH-WH-500; FTP4-C5e-CCA-S25-IN-LSZH-YL-500; UTP4-C5e-CU-S26-IN-LSZH-OR-100; UTP4-C5e-CU-S26-IN-LSZH-GY-100; UTP4-C5e-CU-S26-IN-LSZH-BL-100; UTP4-C5e-CU-S26-IN-LSZH-BK-100; UTP4-C5e-CU-S26-IN-LSZH-GN-100; UTP4-C5e-CU-S26-IN-LSZH-RD-100; UTP4-C5e-CU-S26-IN-LSZH-WH-100; UTP4-C5e-CU-S26-IN-LSZH-YL-100; UTP4-C5e-CU-S26-IN-LSZH-OR-305; UTP4-C5e-CU-S26-IN-LSZH-GY-305; UTP4-C5e-CU-S26-IN-LSZH-BL-305; UTP4-C5e-CU-S26-IN-LSZH-BK-305; UTP4-C5e-CU-S26-IN-LSZH-GN-305; UTP4-C5e-CU-S26-IN-LSZH-RD-305; UTP4-C5e-CU-S26-IN-LSZH-WH-305; UTP4-C5e-CU-S26-IN-LSZH-YL-305; UTP4-C5e-CU-S26-IN-LSZH-OR-500; UTP4-C5e-CU-S26-IN-LSZH-GY-500; UTP4-C5e-CU-S26-IN-LSZH-BL-500; UTP4-C5e-CU-S26-IN-LSZH-BK-500; UTP4-C5e-CU-S26-IN-LSZH-GN-500; UTP4-C5e-CU-S26-IN-LSZH-RD-500; UTP4-C5e-CU-S26-IN-LSZH-WH-500; UTP4-C5e-CU-S26-IN-LSZH-YL-500; FTP4-C5e-CU-S26-IN-LSZH-OR-100; FTP4-C5e-CU-S26-IN-LSZH-GY-100; FTP4-C5e-CU-S26-IN-LSZH-BL-100; FTP4-C5e-CU-S26-IN-LSZH-BK-100; FTP4-C5e-CU-S26-IN-LSZH-GN-100; FTP4-C5e-CU-S26-IN-LSZH-RD-100; FTP4-C5e-CU-S26-IN-LSZH-WH-100; FTP4-C5e-CU-S26-IN-LSZH-YL-100; FTP4-C5e-CU-S26-IN-LSZH-OR-305; FTP4-C5e-CU-S26-IN-LSZH-GY-305; FTP4-C5e-CU-S26-IN-LSZH-BL-305; FTP4-C5e-CU-S26-IN-LSZH-BK-305; FTP4-C5e-CU-S26-IN-LSZH-GN-305; FTP4-C5e-CU-S26-IN-LSZH-RD-305; FTP4-C5e-CU-S26-IN-LSZH-WH-305; FTP4-C5e-CU-S26-IN-LSZH-YL-305; FTP4-C5e-CU-S26-IN-LSZH-OR-500; FTP4-C5e-CU-S26-IN-LSZH-GY-500; FTP4-C5e-CU-S26-IN-LSZH-BL-500; FTP4-C5e-CU-S26-IN-LSZH-BK-500; FTP4-C5e-CU-S26-IN-LSZH-GN-500; FTP4-C5e-CU-S26-IN-LSZH-RD-500; FTP4-C5e-CU-S26-IN-LSZH-WH-500; FTP4-C5e-CU-S26-IN-LSZH-YL-500; FTP4-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Кондратьева М.В.

Эксперт (эксперты)

Пичурин А.А.

№ 002275



Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0

C5e-CCA-S26-IN-LSZH-OR-100; UTP4-C5e-CCA-S26-IN-LSZH-GY-100;
UTP4-C5e-CCA-S26-IN-LSZH-BL-100; UTP4-C5e-CCA-S26-IN-LSZH-BK-
100; UTP4-C5e-CCA-S26-IN-LSZH-GN-100; UTP4-C5e-CCA-S26-IN-LSZH-
RD-100; UTP4-C5e-CCA-S26-IN-LSZH-WH-100; UTP4-C5e-CCA-S26-IN-
LSZH-YL-100; UTP4-C5e-CCA-S26-IN-LSZH-OR-305; UTP4-C5e-CCA-S26-
IN-LSZH-GY-305; UTP4-C5e-CCA-S26-IN-LSZH-BL-305; UTP4-C5e-CCA-
S26-IN-LSZH-BK-305; UTP4-C5e-CCA-S26-IN-LSZH-GN-305; UTP4-C5e-
CCA-S26-IN-LSZH-RD-305; UTP4-C5e-CCA-S26-IN-LSZH-WH-305; UTP4-
C5e-CCA-S26-IN-LSZH-YL-305; UTP4-C5e-CCA-S26-IN-LSZH-OR-500;
UTP4-C5e-CCA-S26-IN-LSZH-GY-500; UTP4-C5e-CCA-S26-IN-LSZH-BL-
500; UTP4-C5e-CCA-S26-IN-LSZH-BK-500; UTP4-C5e-CCA-S26-IN-LSZH-
GN-500; UTP4-C5e-CCA-S26-IN-LSZH-RD-500; UTP4-C5e-CCA-S26-IN-
LSZH-WH-500; UTP4-C5e-CCA-S26-IN-LSZH-YL-500; FTP4-C5e-CCA-S26-
IN-LSZH-OR-100; FTP4-C5e-CCA-S26-IN-LSZH-GY-100; FTP4-C5e-CCA-
S26-IN-LSZH-BL-100; FTP4-C5e-CCA-S26-IN-LSZH-BK-100; FTP4-C5e-
CCA-S26-IN-LSZH-GN-100; FTP4-C5e-CCA-S26-IN-LSZH-RD-100; FTP4-
C5e-CCA-S26-IN-LSZH-WH-100; FTP4-C5e-CCA-S26-IN-LSZH-YL-100;
FTP4-C5e-CCA-S26-IN-LSZH-OR-305; FTP4-C5e-CCA-S26-IN-LSZH-GY-
305; FTP4-C5e-CCA-S26-IN-LSZH-BL-305; FTP4-C5e-CCA-S26-IN-LSZH-
BK-305; FTP4-C5e-CCA-S26-IN-LSZH-GN-305; FTP4-C5e-CCA-S26-IN-
LSZH-RD-305; FTP4-C5e-CCA-S26-IN-LSZH-WH-305; FTP4-C5e-CCA-S26-
IN-LSZH-YL-305; FTP4-C5e-CCA-S26-IN-LSZH-OR-500; FTP4-C5e-CCA-
S26-IN-LSZH-GY-500; FTP4-C5e-CCA-S26-IN-LSZH-BL-500; FTP4-C5e-
CCA-S26-IN-LSZH-BK-500; FTP4-C5e-CCA-S26-IN-LSZH-GN-500; FTP4-
C5e-CCA-S26-IN-LSZH-RD-500; FTP4-C5e-CCA-S26-IN-LSZH-WH-500;
FTP4-C5e-CCA-S26-IN-LSZH-YL-500; SFTP4-C5e-CU-S24-IN-LSZH-OR-100;
SFTP4-C5e-CU-S24-IN-LSZH-GY-100; SFTP4-C5e-CU-S24-IN-LSZH-BL-100;
SFTP4-C5e-CU-S24-IN-LSZH-BK-100; SFTP4-C5e-CU-S24-IN-LSZH-GN-100;
SFTP4-C5e-CU-S24-IN-LSZH-RD-100; SFTP4-C5e-CU-S24-IN-LSZH-WH-
100; SFTP4-C5e-CU-S24-IN-LSZH-YL-100; SFTP4-C5e-CU-S24-IN-LSZH-
OR-305; SFTP4-C5e-CU-S24-IN-LSZH-GY-305; SFTP4-C5e-CU-S24-IN-
LSZH-BL-305; SFTP4-C5e-CU-S24-IN-LSZH-BK-305; SFTP4-C5e-CU-S24-IN-
LSZH-GN-305; SFTP4-C5e-CU-S24-IN-LSZH-RD-305; SFTP4-C5e-CU-S24-
IN-LSZH-WH-305; SFTP4-C5e-CU-S24-IN-LSZH-YL-305; SFTP4-C5e-CU-
S24-IN-LSZH-OR-500; SFTP4-C5e-CU-S24-IN-LSZH-GY-500; SFTP4-C5e-
CU-S24-IN-LSZH-BL-500; SFTP4-C5e-CU-S24-IN-LSZH-BK-500; SFTP4-C5e-
CU-S24-IN-LSZH-GN-500; SFTP4-C5e-CU-S24-IN-LSZH-RD-500; SFTP4-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002276



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

C5e-CU-S24-IN-LSZH-WH-500; SFTP4-C5e-CU-S24-IN-LSZH-YL-500;
SFTP4-C5e-CCA-S24-IN-LSZH-OR-100; SFTP4-C5e-CCA-S24-IN-LSZH-GY-
100; SFTP4-C5e-CCA-S24-IN-LSZH-BL-100; SFTP4-C5e-CCA-S24-IN-LSZH-
BK-100; SFTP4-C5e-CCA-S24-IN-LSZH-GN-100; SFTP4-C5e-CCA-S24-IN-
LSZH-RD-100; SFTP4-C5e-CCA-S24-IN-LSZH-WH-100; SFTP4-C5e-CCA-
S24-IN-LSZH-YL-100; SFTP4-C5e-CCA-S24-IN-LSZH-OR-305; SFTP4-C5e-
CCA-S24-IN-LSZH-GY-305; SFTP4-C5e-CCA-S24-IN-LSZH-BL-305; SFTP4-
C5e-CCA-S24-IN-LSZH-BK-305; SFTP4-C5e-CCA-S24-IN-LSZH-GN-305;
SFTP4-C5e-CCA-S24-IN-LSZH-RD-305; SFTP4-C5e-CCA-S24-IN-LSZH-WH-
305; SFTP4-C5e-CCA-S24-IN-LSZH-YL-305; SFTP4-C5e-CCA-S24-IN-LSZH-
OR-500; SFTP4-C5e-CCA-S24-IN-LSZH-GY-500; SFTP4-C5e-CCA-S24-IN-
LSZH-BL-500; SFTP4-C5e-CCA-S24-IN-LSZH-BK-500; SFTP4-C5e-CCA-S24-
IN-LSZH-GN-500; SFTP4-C5e-CCA-S24-IN-LSZH-RD-500; SFTP4-C5e-CCA-
S24-IN-LSZH-WH-500; SFTP4-C5e-CCA-S24-IN-LSZH-YL-500; SFTP24-C7-
CU-S23-IN-LSZH-GY-100; SFTP24-C7-CU-S23-IN-LSZH-GY-305; SFTP24-
C7-CU-S23-IN-LSZH-GY-500; FTP24-C5e-CU-S24-IN-LSZH-GY-100; FTP24-
C5e-CU-S24-IN-LSZH-GY-305; FTP24-C5e-CU-S24-IN-LSZH-GY-500;
FTP48-C5e-CU-S24-IN-LSZH-GY-100; FTP48-C5e-CU-S24-IN-LSZH-GY-305;
FTP48-C5e-CU-S24-IN-LSZH-GY-500; FTP100-C5e-CU-S24-IN-LSZH-GY-
100; FTP100-C5e-CU-S24-IN-LSZH-GY-305; FTP100-C5e-CU-S24-IN-LSZH-
GY-500; UTP4x2-C5e-CU-S24-IN-LSZH-GY-100; UTP4x2-C5e-CU-S24-IN-
LSZH-GY-305; UTP4x2-C5e-CU-S24-IN-LSZH-GY-500; UTP4x3-C5-CU-S24-
IN-LSZH-GY-100; UTP4x3-C5-CU-S24-IN-LSZH-GY-305; UTP4x3-C5-CU-
S24-IN-LSZH-GY-500; UTP4x4-C5-CU-S24-IN-LSZH-GY-100; UTP4x4-C5-
CU-S24-IN-LSZH-GY-305; UTP4x4-C5-CU-S24-IN-LSZH-GY-500; UTP4x6-
C5-CU-S24-IN-LSZH-GY-100; UTP4x6-C5-CU-S24-IN-LSZH-GY-305;
UTP4x6-C5-CU-S24-IN-LSZH-GY-500; FTP4x3-C5-CU-S24-IN-LSZH-GY-
100; FTP4x3-C5-CU-S24-IN-LSZH-GY-305; FTP4x3-C5-CU-S24-IN-LSZH-
GY-500; FTP4x4-C5-CU-S24-IN-LSZH-GY-100; FTP4x4-C5-CU-S24-IN-
LSZH-GY-305; FTP4x4-C5-CU-S24-IN-LSZH-GY-500; FTP4x6-C5-CU-S24-
IN-LSZH-GY-100; FTP4x6-C5-CU-S24-IN-LSZH-GY-305; FTP4x6-C5-CU-
S24-IN-LSZH-GY-500; UTP4x12-C5-CU-S24-IN-LSZH-GY-100; UTP4x12-C5-
CU-S24-IN-LSZH-GY-305; UTP4x12-C5-CU-S24-IN-LSZH-GY-500;
UTP4x25-C5-CU-S24-IN-LSZH-GY-100; UTP4x25-C5-CU-S24-IN-LSZH-GY-
305; UTP4x25-C5-CU-S24-IN-LSZH-GY-500; FTP25-C5-CU-S24-IN-LSZH-
GY-100; FTP25-C5-CU-S24-IN-LSZH-GY-305; FTP25-C5-CU-S24-IN-LSZH-
GY-500; FTP10-C3-CU-S24-IN-LSZH-GY-100; FTP10-C3-CU-S24-IN-LSZH-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002277



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

GY-303; FTP10-C3-CU-S24-IN-LSZH-GY-300; FTP25-C3-CU-S24-IN-LSZH-GY-100; FTP25-C3-CU-S24-IN-LSZH-GY-303; FTP25-C3-CU-S24-IN-LSZH-GY-300; FTP50-C3-CU-S24-IN-LSZH-GY-100; FTP50-C3-CU-S24-IN-LSZH-GY-303; FTP50-C3-CU-S24-IN-LSZH-GY-300; FTP100-C3-CU-S24-IN-LSZH-GY-100; FTP100-C3-CU-S24-IN-LSZH-GY-303; FTP100-C3-CU-S24-IN-LSZH-GY-300; UTP10-C3-CU-S24-IN-LSZH-GY-100; UTP10-C3-CU-S24-IN-LSZH-GY-303; UTP10-C3-CU-S24-IN-LSZH-GY-300; UTP25-C3-CU-S24-IN-LSZH-GY-100; UTP25-C3-CU-S24-IN-LSZH-GY-303; UTP25-C3-CU-S24-IN-LSZH-GY-300; UTP50-C3-CU-S24-IN-LSZH-GY-100; UTP50-C3-CU-S24-IN-LSZH-GY-303; UTP50-C3-CU-S24-IN-LSZH-GY-300; UTP100-C3-CU-S24-IN-LSZH-GY-100; UTP100-C3-CU-S24-IN-LSZH-GY-303; UTP100-C3-CU-S24-IN-LSZH-GY-300; UTP10-C3-CU-S26-IN-LSZH-GY-100; UTP10-C3-CU-S26-IN-LSZH-GY-303; UTP10-C3-CU-S26-IN-LSZH-GY-300; UTP25-C3-CU-S26-IN-LSZH-GY-100; UTP25-C3-CU-S26-IN-LSZH-GY-303; UTP25-C3-CU-S26-IN-LSZH-GY-300; UTP50-C3-CU-S26-IN-LSZH-GY-100; UTP50-C3-CU-S26-IN-LSZH-GY-303; UTP50-C3-CU-S26-IN-LSZH-GY-300; UTP100-C3-CU-S26-IN-LSZH-GY-100; UTP100-C3-CU-S26-IN-LSZH-GY-303; UTP100-C3-CU-S26-IN-LSZH-GY-300; FTP2-C5-CU-S24-IN-LSZH-GY-100; FTP2-C5-CU-S24-IN-LSZH-GY-305; FTP2-C5-CU-S24-IN-LSZH-GY-500; FTP2-C5-CU-S26-IN-LSZH-GY-100; FTP2-C5-CU-S26-IN-LSZH-GY-305; FTP2-C5-CU-S26-IN-LSZH-GY-500; FTP2-C5-CCA-S24-IN-LSZH-GY-100; FTP2-C5-CCA-S24-IN-LSZH-GY-305; FTP2-C5-CCA-S24-IN-LSZH-GY-500; FTP2-C5-CCA-S26-IN-LSZH-GY-100; FTP2-C5-CCA-S26-IN-LSZH-GY-305; FTP2-C5-CCA-S26-IN-LSZH-GY-500; UTP2-C5-CU-S24-IN-LSZH-GY-100; UTP2-C5-CU-S24-IN-LSZH-GY-305; UTP2-C5-CU-S24-IN-LSZH-GY-500; UTP2-C5-CU-S26-IN-LSZH-GY-100; UTP2-C5-CU-S26-IN-LSZH-GY-305; UTP2-C5-CU-S26-IN-LSZH-GY-500; UTP2-C5-CCA-S24-IN-LSZH-GY-100; UTP2-C5-CCA-S24-IN-LSZH-GY-305; UTP2-C5-CCA-S24-IN-LSZH-GY-500; UTP2-C5-CCA-S26-IN-LSZH-GY-100; UTP2-C5-CCA-S26-IN-LSZH-GY-305; UTP2-C5-CCA-S26-IN-LSZH-GY-500; SFTP4-C7-CU-S23-OUT-LSZH/PVC-BK-305; SFTP4-C7-CU-S23-OUT-LSZH/PVC-BK-500; FTP4-C6-CU-S23-OUT-LSZH-BK-305; FTP4-C6-CU-S23-OUT-LSZH-BK-500; UTP4-C6-CU-S23-OUT-LSZH-BK-305; UTP4-C6-CU-S23-OUT-LSZH-BK-500; UTP4-C6-CU-S23-OUT-LSZH/LSZH-BK-305; UTP4-C6-CU-S23-OUT-LSZH/LSZH-BK-500; FTP4-C5e-CU-S24-SW-OUT-LSZH-BK-305; FTP4-C5e-CU-S24-SW-OUT-LSZH-BK-500; FTP4-C5e-CU-S24-OUT-LSZH-BK-305; FTP4-C5e-CU-S24-OUT-LSZH-BK-500; UTP4-C5e-CU-S24-SW-OUT-LSZH-BK-305; UTP4-C5e-CU-S24-SW-OUT-LSZH-BK-500;

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.Е.

Пичурин А.А.



№ 002278



Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБКО

S24-SW-OUT-LSZH-BK-500; UTP4-C5e-CCA-S24-SW-OUT-LSZH-BK-305;
UTP4-C5e-CCA-S24-SW-OUT-LSZH-BK-500; UTP4-C5e-CU-S24-OUT-LSZH-BK-305;
UTP4-C5e-CU-S24-OUT-LSZH-BK-500; UTP4-C5e-CCA-S24-OUT-LSZH-BK-305;
UTP4-C5e-CCA-S24-OUT-LSZH-BK-500; UTP4-C5e-CU-S22-SW-OUT-LSZH-BK-305;
UTP4-C5e-CU-S22-SW-OUT-LSZH-BK-500; UTP4-C5e-CCA-S22-SW-OUT-LSZH-BK-305;
UTP4-C5e-CCA-S22-SW-OUT-LSZH-BK-500; UTP4-C5e-CU-S22-OUT-LSZH-BK-305;
UTP4-C5e-CU-S22-OUT-LSZH-BK-500; UTP4-C5e-CCA-S22-OUT-LSZH-BK-305;
UTP4-C5e-CCA-S22-OUT-LSZH-BK-500; FTP4-C6-CCA-P26-IN-LSZH-GY-100;
FTP4-C6-CCA-P26-IN-LSZH-GY-305; FTP4-C6-CCA-P26-IN-LSZH-GY-500;
FTP4-C6-CCA-P24-IN-LSZH-GY-100; FTP4-C6-CCA-P24-IN-LSZH-GY-305;
FTP4-C6-CCA-P24-IN-LSZH-GY-500; FTP4-C6-CU-P26-IN-LSZH-GY-100;
FTP4-C6-CU-P26-IN-LSZH-GY-305; FTP4-C6-CU-P26-IN-LSZH-GY-500;
FTP4-C6-CU-P24-IN-LSZH-GY-100; FTP4-C6-CU-P24-IN-LSZH-GY-305;
FTP4-C6-CU-P24-IN-LSZH-GY-500; FTP4-C6-CCA-P26-IN-LSZH-OR-100;
FTP4-C6-CCA-P26-IN-LSZH-OR-305; FTP4-C6-CCA-P26-IN-LSZH-OR-500;
FTP4-C6-CCA-P24-IN-LSZH-OR-100; FTP4-C6-CCA-P24-IN-LSZH-OR-305;
FTP4-C6-CCA-P24-IN-LSZH-OR-500; FTP4-C6-CU-P26-IN-LSZH-OR-100;
FTP4-C6-CU-P26-IN-LSZH-OR-305; FTP4-C6-CU-P26-IN-LSZH-OR-500;
FTP4-C6-CU-P24-IN-LSZH-OR-100; FTP4-C6-CU-P24-IN-LSZH-OR-305;
FTP4-C6-CU-P24-IN-LSZH-OR-500; SFTP4-C6-CCA-P26-IN-LSZH-GY-100;
SFTP4-C6-CCA-P26-IN-LSZH-GY-305; SFTP4-C6-CCA-P26-IN-LSZH-GY-500;
SFTP4-C6-CCA-P24-IN-LSZH-GY-100; SFTP4-C6-CCA-P24-IN-LSZH-GY-305;
SFTP4-C6-CCA-P24-IN-LSZH-GY-500; SFTP4-C6-CU-P26-IN-LSZH-GY-100;
SFTP4-C6-CU-P26-IN-LSZH-GY-305; SFTP4-C6-CU-P26-IN-LSZH-GY-500;
SFTP4-C6-CU-P24-IN-LSZH-GY-100; SFTP4-C6-CU-P24-IN-LSZH-GY-305;
SFTP4-C6-CU-P24-IN-LSZH-GY-500; SFTP4-C6-CCA-P26-IN-LSZH-OR-100;
SFTP4-C6-CCA-P26-IN-LSZH-OR-305; SFTP4-C6-CCA-P26-IN-LSZH-OR-500;
SFTP4-C6-CCA-P24-IN-LSZH-OR-100; SFTP4-C6-CCA-P24-IN-LSZH-OR-305;
SFTP4-C6-CCA-P24-IN-LSZH-OR-500; SFTP4-C6-CU-P26-IN-LSZH-OR-100;
SFTP4-C6-CU-P26-IN-LSZH-OR-305; SFTP4-C6-CU-P26-IN-LSZH-OR-500;
SFTP4-C6-CU-P24-IN-LSZH-OR-100; SFTP4-C6-CU-P24-IN-LSZH-OR-305;
SFTP4-C6-CU-P24-IN-LSZH-OR-500; SFTP4-C5e-CCA-P26-IN-LSZH-GY-100;
SFTP4-C5e-CCA-P26-IN-LSZH-GY-305; SFTP4-C5e-CCA-P26-IN-LSZH-GY-500;
SFTP4-C5e-CCA-P24-IN-LSZH-GY-100; SFTP4-C5e-CCA-P24-IN-LSZH-GY-305;
SFTP4-C5e-CCA-P24-IN-LSZH-GY-500; SFTP4-C5e-CU-P26-IN-LSZH-GY-100;
SFTP4-C5e-CU-P26-IN-LSZH-GY-305;

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002279



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

SFTP4-C5e-CU-P26-IN-LSZH-GY-500; SFTP4-C5e-CU-P24-IN-LSZH-GY-100;
SFTP4-C5e-CU-P24-IN-LSZH-GY-305; SFTP4-C5e-CU-P24-IN-LSZH-GY-500;
SFTP4-C5e-CCA-P26-IN-LSZH-OR-100; SFTP4-C5e-CCA-P26-IN-LSZH-OR-305;
SFTP4-C5e-CCA-P26-IN-LSZH-OR-500; SFTP4-C5e-CCA-P24-IN-LSZH-OR-100;
SFTP4-C5e-CCA-P24-IN-LSZH-OR-305; SFTP4-C5e-CCA-P24-IN-LSZH-OR-500;
SFTP4-C5e-CU-P26-IN-LSZH-OR-100; SFTP4-C5e-CU-P26-IN-LSZH-OR-305;
SFTP4-C5e-CU-P26-IN-LSZH-OR-500; SFTP4-C5e-CU-P24-IN-LSZH-OR-100;
SFTP4-C5e-CU-P24-IN-LSZH-OR-305; SFTP4-C5e-CU-P24-IN-LSZH-OR-500;
SFTP4-C7-CCA-P26-IN-LSZH-GY-100; SFTP4-C7-CCA-P26-IN-LSZH-GY-305;
SFTP4-C7-CCA-P26-IN-LSZH-GY-500; SFTP4-C7-CCA-P24-IN-LSZH-GY-100;
SFTP4-C7-CCA-P24-IN-LSZH-GY-305; SFTP4-C7-CCA-P24-IN-LSZH-GY-500;
SFTP4-C7-CU-P26-IN-LSZH-GY-305; SFTP4-C7-CU-P26-IN-LSZH-GY-500;
SFTP4-C7-CU-P24-IN-LSZH-GY-100; SFTP4-C7-CU-P24-IN-LSZH-GY-305;
SFTP4-C7-CU-P24-IN-LSZH-GY-500; SFTP4-C7-CCA-P26-IN-LSZH-OR-100;
SFTP4-C7-CCA-P26-IN-LSZH-OR-305; SFTP4-C7-CCA-P26-IN-LSZH-OR-500;
SFTP4-C7-CCA-P24-IN-LSZH-OR-100; SFTP4-C7-CCA-P24-IN-LSZH-OR-305;
SFTP4-C7-CCA-P24-IN-LSZH-OR-500; SFTP4-C7-CU-P26-IN-LSZH-OR-100;
SFTP4-C7-CU-P26-IN-LSZH-OR-305; SFTP4-C7-CU-P26-IN-LSZH-OR-500;
SFTP4-C7-CU-P24-IN-LSZH-OR-100; SFTP4-C7-CU-P24-IN-LSZH-OR-305;
SFTP4-C7-CU-P24-IN-LSZH-OR-500; SFTP4-C7-CCA-P26-IN-LSZH-VL-100;
SFTP4-C7-CCA-P26-IN-LSZH-VL-305; SFTP4-C7-CCA-P26-IN-LSZH-VL-500;
SFTP4-C7-CCA-P24-IN-LSZH-VL-100; SFTP4-C7-CCA-P24-IN-LSZH-VL-305;
SFTP4-C7-CCA-P24-IN-LSZH-VL-500; SFTP4-C7-CU-P26-IN-LSZH-VL-100;
SFTP4-C7-CU-P26-IN-LSZH-VL-305; SFTP4-C7-CU-P26-IN-LSZH-VL-500;
SFTP4-C7-CU-P24-IN-LSZH-VL-100; SFTP4-C7-CU-P24-IN-LSZH-VL-305;
SFTP4-C7-CU-P24-IN-LSZH-VL-500; FTP4-C5e-CCA-P26-IN-LSZH-GY-100;
FTP4-C5e-CCA-P26-IN-LSZH-GY-305; FTP4-C5e-CCA-P26-IN-LSZH-GY-500;
FTP4-C5e-CCA-P24-IN-LSZH-GY-305; FTP4-C5e-CCA-P24-IN-LSZH-GY-500;
FTP4-C5e-CU-P26-IN-LSZH-GY-100; FTP4-C5e-CU-P26-IN-LSZH-GY-305;
FTP4-C5e-CU-P26-IN-LSZH-GY-500; FTP4-C5e-CU-P24-IN-LSZH-GY-100;
FTP4-C5e-CU-P24-IN-LSZH-GY-305; FTP4-C5e-CU-P24-IN-LSZH-GY-500;
FTP4-C5e-CCA-P26-IN-LSZH-OR-100; FTP4-C5e-CCA-P26-IN-LSZH-OR-305;
FTP4-C5e-CCA-P24-IN-LSZH-OR-100; FTP4-C5e-CCA-P24-IN-LSZH-OR-305;
FTP4-C5e-CCA-P24-IN-LSZH-OR-500; FTP4-C5e-CU-P26-IN-LSZH-OR-100;
FTP4-C5e-CU-P26-IN-LSZH-OR-305; FTP4-C5e-CU-P26-IN-LSZH-OR-500;

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Handwritten signature of M.B. Kondratyeva

Кондратьева М.В.

Пичурин А.А.



№ 002280



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

OR-305; FTP4-C5e-CU-P26-IN-LSZH-OR-500; FTP4-C5e-CU-P24-IN-LSZH-OR-100; FTP4-C5e-CU-P24-IN-LSZH-OR-305; FTP4-C5e-CU-P24-IN-LSZH-OR-500; FTP4-C5e-CCA-P26-IN-LSZH-BL-100; FTP4-C5e-CCA-P26-IN-LSZH-BL-305; FTP4-C5e-CCA-P26-IN-LSZH-BL-500; FTP4-C5e-CCA-P24-IN-LSZH-BL-100; FTP4-C5e-CCA-P24-IN-LSZH-BL-305; FTP4-C5e-CCA-P24-IN-LSZH-BL-500; FTP4-C5e-CU-P26-IN-LSZH-BL-100; FTP4-C5e-CU-P26-IN-LSZH-BL-305; FTP4-C5e-CU-P26-IN-LSZH-BL-500; FTP4-C5e-CU-P24-IN-LSZH-BL-100; FTP4-C5e-CU-P24-IN-LSZH-BL-305; FTP4-C5e-CU-P24-IN-LSZH-BL-500; FTP4-C5e-CCA-P26-IN-LSZH-BK-100; FTP4-C5e-CCA-P26-IN-LSZH-BK-305; FTP4-C5e-CCA-P26-IN-LSZH-BK-500; FTP4-C5e-CCA-P24-IN-LSZH-BK-100; FTP4-C5e-CCA-P24-IN-LSZH-BK-305; FTP4-C5e-CCA-P24-IN-LSZH-BK-500; FTP4-C5e-CU-P26-IN-LSZH-BK-100; FTP4-C5e-CU-P26-IN-LSZH-BK-305; FTP4-C5e-CU-P26-IN-LSZH-BK-500; FTP4-C5e-CU-P24-IN-LSZH-BK-100; FTP4-C5e-CU-P24-IN-LSZH-BK-305; FTP4-C5e-CU-P24-IN-LSZH-BK-500; FTP4-C5e-CCA-P26-IN-LSZH-GN-100; FTP4-C5e-CCA-P26-IN-LSZH-GN-305; FTP4-C5e-CCA-P26-IN-LSZH-GN-500; FTP4-C5e-CCA-P24-IN-LSZH-GN-100; FTP4-C5e-CCA-P24-IN-LSZH-GN-305; FTP4-C5e-CCA-P24-IN-LSZH-GN-500; FTP4-C5e-CU-P26-IN-LSZH-GN-100; FTP4-C5e-CU-P26-IN-LSZH-GN-305; FTP4-C5e-CU-P26-IN-LSZH-GN-500; FTP4-C5e-CU-P24-IN-LSZH-GN-100; FTP4-C5e-CU-P24-IN-LSZH-GN-305; FTP4-C5e-CU-P24-IN-LSZH-GN-500; FTP4-C5e-CCA-P26-IN-LSZH-YL-100; FTP4-C5e-CCA-P26-IN-LSZH-YL-305; FTP4-C5e-CCA-P26-IN-LSZH-YL-500; FTP4-C5e-CCA-P24-IN-LSZH-YL-100; FTP4-C5e-CCA-P24-IN-LSZH-YL-305; FTP4-C5e-CCA-P24-IN-LSZH-YL-500; FTP4-C5e-CU-P26-IN-LSZH-YL-100; FTP4-C5e-CU-P26-IN-LSZH-YL-305; FTP4-C5e-CU-P26-IN-LSZH-YL-500; FTP4-C5e-CU-P24-IN-LSZH-YL-100; FTP4-C5e-CU-P24-IN-LSZH-YL-305; FTP4-C5e-CU-P24-IN-LSZH-YL-500; FTP4-C5e-CCA-P26-IN-LSZH-RD-100; FTP4-C5e-CCA-P26-IN-LSZH-RD-305; FTP4-C5e-CCA-P26-IN-LSZH-RD-500; FTP4-C5e-CCA-P24-IN-LSZH-RD-100; FTP4-C5e-CCA-P24-IN-LSZH-RD-305; FTP4-C5e-CCA-P24-IN-LSZH-RD-500; FTP4-C5e-CU-P26-IN-LSZH-RD-100; FTP4-C5e-CU-P26-IN-LSZH-RD-305; FTP4-C5e-CU-P26-IN-LSZH-RD-500; FTP4-C5e-CU-P24-IN-LSZH-RD-100; FTP4-C5e-CU-P24-IN-LSZH-RD-305; FTP4-C5e-CU-P24-IN-LSZH-RD-500; UTP4-C6-CCA-P26-IN-LSZH-GY-100; UTP4-C6-CCA-P26-IN-LSZH-GY-305; UTP4-C6-CCA-P26-IN-LSZH-GY-500; UTP4-C6-CCA-P24-IN-LSZH-GY-100; UTP4-C6-CCA-P24-IN-LSZH-GY-305; UTP4-C6-CCA-P24-IN-LSZH-GY-500; UTP4-C6-CU-P26-IN-LSZH-GY-100; UTP4-C6-CU-P26-IN-LSZH-GY-305; UTP4-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002281



Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБКО


C6-CU-P26-IN-LSZH-GY-500; UTP4-C6-CU-P24-IN-LSZH-GY-100; UTP4-C6-CU-P24-IN-LSZH-GY-305; UTP4-C6-CU-P24-IN-LSZH-GY-500; UTP4-C6-CCA-P26-IN-LSZH-OR-100; UTP4-C6-CCA-P26-IN-LSZH-OR-305; UTP4-C6-CCA-P26-IN-LSZH-OR-500; UTP4-C6-CCA-P24-IN-LSZH-OR-100; UTP4-C6-CCA-P24-IN-LSZH-OR-305; UTP4-C6-CCA-P24-IN-LSZH-OR-500; UTP4-C6-CU-P26-IN-LSZH-OR-100; UTP4-C6-CU-P26-IN-LSZH-OR-305; UTP4-C6-CU-P26-IN-LSZH-OR-500; UTP4-C6-CU-P24-IN-LSZH-OR-100; UTP4-C6-CU-P24-IN-LSZH-OR-305; UTP4-C6-CU-P24-IN-LSZH-OR-500; UTP4-C5e-CCA-P26-IN-LSZH-GY-100; UTP4-C5e-CCA-P26-IN-LSZH-GY-305; UTP4-C5e-CCA-P26-IN-LSZH-GY-500; UTP4-C5e-CCA-P24-IN-LSZH-GY-100; UTP4-C5e-CCA-P24-IN-LSZH-GY-305; UTP4-C5e-CCA-P24-IN-LSZH-GY-500; UTP4-C5e-CU-P26-IN-LSZH-GY-100; UTP4-C5e-CU-P26-IN-LSZH-GY-305; UTP4-C5e-CU-P26-IN-LSZH-GY-500; UTP4-C5e-CU-P24-IN-LSZH-GY-100; UTP4-C5e-CU-P24-IN-LSZH-GY-305; UTP4-C5e-CU-P24-IN-LSZH-GY-500; UTP4-C5e-CCA-P26-IN-LSZH-OR-100; UTP4-C5e-CCA-P26-IN-LSZH-OR-305; UTP4-C5e-CCA-P26-IN-LSZH-OR-500; UTP4-C5e-CCA-P24-IN-LSZH-OR-100; UTP4-C5e-CCA-P24-IN-LSZH-OR-305; UTP4-C5e-CCA-P24-IN-LSZH-OR-500; UTP4-C5e-CU-P26-IN-LSZH-OR-100; UTP4-C5e-CU-P26-IN-LSZH-OR-305; UTP4-C5e-CU-P26-IN-LSZH-OR-500; UTP4-C5e-CU-P24-IN-LSZH-OR-100; UTP4-C5e-CU-P24-IN-LSZH-OR-305; UTP4-C5e-CU-P24-IN-LSZH-OR-500; UTP4-C5e-CCA-P26-IN-LSZH-BL-100; UTP4-C5e-CCA-P26-IN-LSZH-BL-305; UTP4-C5e-CCA-P26-IN-LSZH-BL-500; UTP4-C5e-CCA-P24-IN-LSZH-BL-100; UTP4-C5e-CCA-P24-IN-LSZH-BL-305; UTP4-C5e-CCA-P24-IN-LSZH-BL-500; UTP4-C5e-CU-P26-IN-LSZH-BL-100; UTP4-C5e-CU-P26-IN-LSZH-BL-305; UTP4-C5e-CU-P26-IN-LSZH-BL-500; UTP4-C5e-CU-P24-IN-LSZH-BL-100; UTP4-C5e-CU-P24-IN-LSZH-BL-305; UTP4-C5e-CU-P24-IN-LSZH-BL-500; UTP4-C5e-CCA-P26-IN-LSZH-BK-100; UTP4-C5e-CCA-P26-IN-LSZH-BK-305; UTP4-C5e-CCA-P26-IN-LSZH-BK-500; UTP4-C5e-CCA-P24-IN-LSZH-BK-100; UTP4-C5e-CCA-P24-IN-LSZH-BK-305; UTP4-C5e-CCA-P24-IN-LSZH-BK-500; UTP4-C5e-CU-P26-IN-LSZH-BK-100; UTP4-C5e-CU-P26-IN-LSZH-BK-305; UTP4-C5e-CU-P26-IN-LSZH-BK-500; UTP4-C5e-CU-P24-IN-LSZH-BK-100; UTP4-C5e-CU-P24-IN-LSZH-BK-305; UTP4-C5e-CU-P24-IN-LSZH-BK-500; UTP4-C5e-CCA-P26-IN-LSZH-GN-100; UTP4-C5e-CCA-P26-IN-LSZH-GN-305; UTP4-C5e-CCA-P26-IN-LSZH-GN-500; UTP4-C5e-CCA-P24-IN-LSZH-GN-100; UTP4-C5e-CCA-P24-IN-LSZH-GN-305; UTP4-C5e-CCA-P24-IN-LSZH-GN-500; UTP4-C5e-CU-P26-IN-LSZH-GN-100; UTP4-C5e-CU-P26-IN-LSZH-GN-305; UTP4-C5e-CU-

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002287



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

	<p>P26-IN-LSZH-GN-500; UTP4-C5e-CU-P24-IN-LSZH-GN-100; UTP4-C5e-CU-P24-IN-LSZH-GN-305; UTP4-C5e-CU-P24-IN-LSZH-GN-500; UTP4-C5e-CCA-P26-IN-LSZH-YL-100; UTP4-C5e-CCA-P26-IN-LSZH-YL-305; UTP4-C5e-CCA-P26-IN-LSZH-YL-500; UTP4-C5e-CCA-P24-IN-LSZH-YL-100; UTP4-C5e-CCA-P24-IN-LSZH-YL-305; UTP4-C5e-CCA-P24-IN-LSZH-YL-500; UTP4-C5e-CU-P26-IN-LSZH-YL-100; UTP4-C5e-CU-P26-IN-LSZH-YL-305; UTP4-C5e-CU-P26-IN-LSZH-YL-500; UTP4-C5e-CU-P24-IN-LSZH-YL-100; UTP4-C5e-CU-P24-IN-LSZH-YL-305; UTP4-C5e-CU-P24-IN-LSZH-YL-500; UTP4-C5e-CCA-P26-IN-LSZH-RD-100; UTP4-C5e-CCA-P26-IN-LSZH-RD-305; UTP4-C5e-CCA-P26-IN-LSZH-RD-500; UTP4-C5e-CCA-P24-IN-LSZH-RD-100; UTP4-C5e-CCA-P24-IN-LSZH-RD-305; UTP4-C5e-CCA-P24-IN-LSZH-RD-500; UTP4-C5e-CU-P26-IN-LSZH-RD-100; UTP4-C5e-CU-P26-IN-LSZH-RD-305; UTP4-C5e-CU-P26-IN-LSZH-RD-500; UTP4-C5e-CU-P24-IN-LSZH-RD-100; UTP4-C5e-CU-P24-IN-LSZH-RD-305; UTP4-C5e-CU-P24-IN-LSZH-RD-500; UTP4-C5e-CCA-P26-IN-LSZH-WH-100; UTP4-C5e-CCA-P26-IN-LSZH-WH-305; UTP4-C5e-CCA-P26-IN-LSZH-WH-500; UTP4-C5e-CCA-P24-IN-LSZH-WH-100; UTP4-C5e-CCA-P24-IN-LSZH-WH-305; UTP4-C5e-CCA-P24-IN-LSZH-WH-500; UTP4-C5e-CU-P26-IN-LSZH-WH-100; UTP4-C5e-CU-P26-IN-LSZH-WH-305; UTP4-C5e-CU-P26-IN-LSZH-WH-500; UTP4-C5e-CU-P24-IN-LSZH-WH-100; UTP4-C5e-CU-P24-IN-LSZH-WH-305; UTP4-C5e-CU-P24-IN-LSZH-WH-500</p>
--	---

Обозначение нац стандарта или свода правил	Наименование, типы марки, модели однородной продукции, составные части изделия или комплекса	Подтверждаемые требования нац стандарта или свода правил
ГОСТ IEC 60332-1-2-2011	Испытания электрических и оптических кабелей в условиях воздействия пламени. Часть 1-2. Испытание на нераспространение горения одиночного вертикально расположенного изолированного	Предел распространения горения кабельного изделия при

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А



№ 002288



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

Обозначение нац стандарта или свода правил	Наименование, типы марки, модели однородной продукции, составные части изделия или комплекса	Подтверждаемые требования нац стандарта или свода правил
	провода или кабеля. Проведение испытания при взаимодействии пламенем газовой горелки мощностью 1кВт, с предварительным смешением газов	одиночной прокладке – ПРГО1.
ГОСТ IEC 60332-3-24-2011	Испытания электрических и оптических кабелей в условиях воздействия пламени. Часть 3-24. Распространение пламени по вертикально расположенным пучкам проводов или кабелей. Категория С	Предел распространения горения кабельного изделия при групповой прокладке (категория С) – П2
ГОСТ IEC 61034-2-2011	Измерение плотности дыма при горении кабелей в заданных условиях. Часть 2. Метод испытания и требования к нему	Показатель дымообразования при горении и тлении кабельного изделия – ПД1. Кабельных изделий с индексом LS
ГОСТ 12.1.044-89	ССБТ. Пожаровзрывоопасность веществ и материалов. Номенклатура показателей и методы их определения	Эквивалентный показатель токсичности сертификатов

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.



№ 002289



**Система добровольной сертификации пожарной безопасности и качества
№ РОСС RU.31675.04ПБК0**

Обозначение нац стандарта или свода правил	Наименование, типы марки, модели однородной продукции, составные части изделия или комплекса	Подтверждаемые требования нац стандарта или свода правил
		продуктов горения кабельного изделия – ПТПМ4. Кабельных изделий с индексом LS и HF
ГОСТ IEC 60754-1-2015	Испытания материалов конструкции кабелей при горении. Определение количества выделяемых газов галогенных кислот	Показатель коррозионной активности продуктов дымогазовыделения при горении и тлении – ПКА1

Руководитель (заместитель руководителя)
органа по сертификации
подпись, инициалы, фамилия

Эксперт (эксперты)

Кондратьева М.В.

Пичурин А.А.

